




بلاسكو للصناعات البلاستيكية PLASCO FOR PLASTIC INDUSTRIES



INJECTION PRODUCTS CATALOGUE





■ Our Branches in Kingdom

■ فروعنا على مستوى المملكة



■ Quality Policy

The PLASCO Co. has established a Quality Management System (QMS) (EMS) (OH&S)(NSF) that is described in The system continue with the requirements of the ISO 9001:2015 ISO 14001:2015 ISO 18001:2007 Standards, and is implemented at all levels within the organization where the Product Quality Aspects gets affected. The QMS EMS OH&S NSF Revision and improvement the quality policy Provide its products with outstanding quality, consistent with customer requirements and applicable standards (ASTM, DIN, and SASO) Work towards continuous improvement in every functional area. The continued success and profitability of our company is totally dependent upon our ability to attract and satisfy customers. Satisfy the customers by providing the products that fulfills their requirements and expectations. Improve the quality of products by continuous monitoring and improvement of the resources and through proper training and corrective actions at all levels. It is the duty of all employees to strive for customer satisfaction continuously and seek to promote company's image and reputation by total dedication to the quality systems and quality policy Satisfy the customers/clients by providing the products and services that fulfill their requirements and expectations. Improve the quality of products and services by continuous assessment and improvement of the allocated resources and through proper training and corrective actions at various levels. It is ensured that this Quality policy is understood, implemented, and maintained at all levels in the company by providing appropriate training to all personnel. Statement of Quality Policy is displayed at prominent locations in the company to increase awareness among the The Quality Policy is reviewed in the Management Review Meetings and ensured that it is appropriate to current business operations of the company and managers and employees are committed to comply with the requirements specified in the system


■ سياسة الجودة..

اعتمد مصنع بلاسكو نظام إدارة الجودة (QMS) (EMS) (OH&S) (NSF) والذي يوضح متطلبات نظام الأيزو التالية : (ISO 14001:2015) (ISO 9001:2015) (ISO 18001:2007) وذلك بمعاييرها القياسية والتي يتم تطبيقها على جميع منتجات المصنع حيث يعنى بجوانب جودة المنتج ونظام إدارة الجودة ((QMS (NSF) (OH&S) (EMS)) يراجع ويحسن سياسة الجودة ويقدم المنتجات ذات الجودة العالية ، و بما يتوافق مع متطلبات العملاء و المعايير القياسية المعمول بها (DIN ، ASTM ، و SASO) من أجل التحسين المستمر في جميع المجالات .




إن استمرار النجاح و الربحية لشركتنا يعتمد كلياً على قدرتنا على جذب و إرضاء العملاء من خلال توفير المنتجات التي تلبي متطلباتهم وتوقعاتهم و تحسين جودة المنتجات من خلال الرصد والتحسين المستمر للموارد من خلال التدريب المناسب والإجراءات التصحيحية على جميع المستويات .

و الإلتزام من جميع الموظفين للسعي لكسب رضا العملاء بشكل مستمر و تعزيز صورة الشركة وسمعتها في أنظمة الجودة و سياسة الجودة لإرضاء العملاء من خلال توفير المنتجات والخدمات التي تلبي احتياجاتهم وتوقعاتهم . و تحسين جودة المنتجات والخدمات من خلال التقييم المستمر وتحسين الموارد المخصصة وإجراء التدريبات المناسبة والإجراءات التصحيحية على مختلف المستويات .

يتم التأكد على فهم سياسة الجودة وتنفيذها ، و الحفاظ على جميع مستوياتها في الشركة من خلال توفير التدريب المناسب لجميع العاملين . و يتم عرض بيان سياسة الجودة في مواقع بارزة في الشركة لزيادة الوعي بين الموظفين و تتم مراجعة سياسة الجودة في الاجتماعات الدورية والتأكد من أن العمليات الجارية لأعمال الشركة و المديرين والموظفين أنهم ملتزمون بما يتوافق مع المتطلبات المحددة في النظام .



PLASCO PRODUCTS



Plasco Technical

Specification of Injection Product

SR No	Description	Value kg	Weight g	No Cavity	Top diam. mm	Specification			Length mm	Remarks
						Bottom diam. mm	Width mm	Hight mm		
1	Rect. F.Box Family	2kg	56 - 57.5	1	135 - 195	181.1 - 121.11		80.4		
2	Lid Rect.F.BoxFamily	2kg	27 - 32	1			138.54	10.0	199.89	
3	Sq. F.Box Family Lids	1kg	17.0 - 19.5	1			131.96	7.5	131.96	
4	Sq. F.Box Family	1kg	52 - 52.5	1	126.42 - 126.44	111.46 - 111.48		90.5		
5	Rect. F.Box Lids	1kg	23.5 - 25	2			125.2	9.1	184	
6	Rect. F.Box Family	1kg	47 - 50	2		110.2 - 169.83	123.54	70.4	183.4	
7	Sq. F.Box Family Lids	1kg	16.5 - 17.5	1			133.32	7.1	133.32	
8	Sq. F.Box	1kg	40.5 - 43.5	1	129.53 - 129.58	113.53 - 113.93		83.3		
9	Sq. F.Box	2kg	80.5 - 84	1	169.33 - 169.36	156.25 - 156.3		94.2		
10	Sq. F.Box Family Lids	2kg	32.5 - 34	1			175.59	7.6	175.6	
11	Sq. F.Box Family Lids	1/2kg	13.5 - 14.5	1	121.29			11.0		
12	Sq. F.Box	1/2kg	34 - 36	1	122.21	104.36		64.1		

SR No	Description	Customer	Weight g	No Cavity	Specification					Remarks
					Top diam. mm	Bottom diam. mm	Width mm	Hight mm	Color	
1	Dust Bin Body 50L	PLASCO	1970-2000	1	411	351		501	diff.col	
2	Dust Bin Body 80L	PLASCO	2920-2950	1	461	365		641	diff.col	
3	Dust Bin Lid 50L	PLASCO	520-530	1	419			60	diff.col	
4	Dust Bin Lid 80L	PLASCO	530-540	1	465			58.73	diff.col	
5	Plant Pot 100mm	PLASCO	18-23	1	100	70		75	Black	
6	Plant Pot 120mm	PLASCO	37-42	1	120	90		92	Black	
7	Plant Pot 165mm	PLASCO	105-112	1	165	140		175	Black	
8	Plant Pot 200mm	PLASCO	232-238	1	200	166		221	Black	
9	Plant Pot 280mm	PLASCO	535-543	1	280	231		300	Black	
10	Plant Pot 450mm	PLASCO	1670-1680	1	450	352		460	Black	
11	Flower Pot small	PLASCO	540-555	1	221	176		200	brown	W+B+G
12	Flower Pot medium	PLASCO	1150-1170	1	302	227		255	brown	W+B+G
13	Flower Pot large	PLASCO	3640-3670	1	400.2	281		315	brown	W+B+G



Plasco Technical Specification of Injection Products


SR No	Description	Customer	Weight g	No Cavity	Specification					Remarks
					Top diam. mm	Bottom diam. mm	Width mm	Hight mm	Color	
14	V.CREATE / L	PLASCO	1600-1800	1	338.51x558.16	333.5x446.5		211	orange	
15	V.CREATE / M	PLASCO	740-750	1	311.61x501	465.17x276.17		221	orange	
16	V.CREATE / S	PLASCO	445-455	1	260.91x426.16	400x235.91		126	orange	
17	C . CREATE	PLASCO	1345-1360	1	391x590	330x530		163	green	
18	D . CREATE (N +M +S)	PLASCO	1265-1450	1	311.61x311.61	326.1x326.1		322	blue+green	
19	BASKET	PLASCO	871	1	300x421.71	351x246		391	white	
20	AIR CON. COVER	PLASCO	57-65	1	51x545.6	20x476.11		12	black	
21	EMMA large	PLASCO	230.6	1	140.76x299.91			197	diff.col	
22	ELBA	PLASCO	115.7	1	239.8			54	diff.col	

SR No	Description	Customer	Weight g	No Cavity	Specification					Remarks
					Top diam. mm	Bottom diam. mm	Width mm	Hight mm	Color	
35	Lid 4L CAN	PLASCO	6.3-6.8	6	42.48	53.84		18	white	
37	Youghart Spoon Nadic	PLASCO	1	24	26.11 63.21			3	clear	
38	ALMAZRAH Spoon	PLASCO	1.2	12	26.05 83.39			1.62	blue+red	
40	Water Containar Lid	PLASCO	23-28	3	69.13	77.59		32	blue	
41	Lid 1L Batt.	PLASCO	4.2-4.8	6	32.26	34.3		16.3	red	
42	Spoon Large	PLASCO	3-4.1	20	38.14		159.62	3.36	white	
43	Spoon Small	PLASCO	1-1.5	32	21.78		116.08	2.73	white	

SR No	Description	Customer	Weight g	No Cavity	Specification					Remarks
					Top diam. mm	Bottom diam. mm	Width mm	Hight mm	Color	
44	Fork	PLASCO	3.5-4	4	20.08 28.77	7.41 8.85		160	white	
45	Knife	PLASCO	2.5-3.3	4	6.13 6.78	10.65 20.10		164.1	white	
46	ICE Cub Tray	PLASCO	143-148	2	115.96 290.12	89.91 265.17		42.36	white+ red	
47	CoolTECH pvc FIT. 120cm	PLASCO	355-365	1	19.36	129.31		146.67	gray	
48	CoolTECH pvc FIT. 215cm	PLASCO	525-535	1	19.36	129.31		203.61	gray	
49	Hole Plug	PLASCO	2.3-2.8	4	115.96	3.72		10.51	white	



PLASCO CERTIFICATES شهادات بلاسكو





بلاسكو للصناعات البلاستيكية PLASCO FOR PLASTIC INDUSTRIES



Kingdom Of Saudi Arabia

Riyadh Industrial Area P.O.Box : 16000 Zip : 11454

Tel. : +966 (11) 2652100 Fax : +966 (11) 2651352

C.C. 10125 C.R. 1010150498

المملكة العربية السعودية

الصناعية الثانية - الرياض ١١٤٥٤ ص.ب. ١٦٠٠٠

ت : ٢٦٥٢١٠٠ (١١) +٩٦٦ ف : ٢٦٥١٣٥٢ (١١) +٩٦٦

رقم العضوية : ١٠٢٥ س.ت : ١٠١٥٠٤٩٨

الرياض . جدة . الدمام . المدينة . القصيم . سكاكا . نجران . جيزان . خميس مشيط

Email: plasco@plasco.com.sa
www.plasco.com.sa